



PRE CLINICAL RESEARCH ON THE LOWER URINARY TRACT

1. Lluel P, Guilloteau V, Palea S. **Alfuzosin reverses bladder overactivity induced by cyclophosphamide in conscious rats.** *J Urol* **179** (4, sup): 371, 2008.
2. Deba A, Lluel P, Palea S. **Purinergic receptor subtypes involved in bladder contraction in anesthetized mice.** *J Urol* **179** (4, sup): 372, 2008.
3. Palea S, Rekik M, Rischmann P, Botto H, Lluel P. **Tadalafil exerts an additive effect on alfuzosin-induced relaxation in pre-contracted human isolated prostatic adenoma.** *J Urol* **179** (4, sup): 1324, 2008.
4. Deba A, Palea S, Lluel P. **Role of beta3-adrenoceptors in mouse isolated urinary bladder.** *Eur Urol* **S7**: 182, 2008.
5. Palea S, Chang D F, Rekik M, Regnier A, Lluel P. **Comparative effect of alfuzosin and tamsulosin on the contractile response of isolated rabbit prostatic and iris dilator smooth muscles: a possible model for intraoperative floppy iris syndrome (IFIS).** *J Cataract Refract Surg* **34**: 489-496, 2008.
6. Lluel P, Guerdard M, Méen M, Ferte J, Bienaymé H, Attali P, Palea S. **Comparison of the effects of besipirdine, its main metabolite and duloxetine on urethral pressure in anesthetized female rats.** *Neurourol Urodyn* **26**: 674, 2007.
7. Lluel P, Méen M, Maurel A, Heudes D, Bruneval P, Palea S. **Alfuzosin, but not tamsulosin, relieves bladder hypertrophy in rats despite a persistent bladder outlet obstruction.** *Urology* **70** (3A, sup): 153-154, 2007.
8. Deba A, Palea S et Lluel P. **Importance fonctionnelle des voies cholinergique et purinergique dans le réflexe mictionnel chez la souris femelle anesthésiée.** *Pelv Perineol* **2**: S209, 2007.
9. Lluel P, Deba A, Palea S. **The selective β_3 -adrenoceptor agonist CL316,243, potently modifies cystometric parameters in anesthetized mice: comparison with oxybutynin.** *J Urol* **177** S4: 327, 2007.
10. Palea S, Rekik M, Lluel P. **Intra-operative floppy iris syndrome: At therapeutic doses alfuzosin does not impact isolated rabbit iris dilator smooth muscle while tamsulosin does.** *J Urol* **177** S4: 447, 2007.
11. Deba A, Lluel P, Palea S. **Propriétés pharmacologiques de l'oxybutynine sur la fonction vésicale chez la souris.** *Pelv Perineol* **2**: 12-19, 2007.
12. Palea S, Rekik M, Ferte J, Bienayme H, Lluel P. **Effects of besipirdine and its main metabolite on the contractility of the rabbit isolated urethra.** *Neurourol Urodyn* **25**: 585-586, 2006.
13. Deba A, Lluel P, Palea S. **Mesure simultanée de la salivation et de la pression intravésicale chez la souris anesthésiée: effets de l'oxybutynine.** *Pelv Perineol* **1**: 93-94, 2006.
14. Palea S, Robineau P, Rischmann P, Lluel P. **Relaxant effect of drotaverine (No-Spa) in human isolated ureteral rings.** *Eur Urol* **S5**: 32, 2006.
15. Lluel P, Méen M, Palea S. **Alfuzosin reverses bladder hypertrophy induced by bladder outlet obstruction in rats.** *Eur Urol* **S5**: 121, 2006.
16. Palea S, Lluel P, Barras M, Duquenne C, Galzin AM, Arbilla S. **Involvement of 5-HT₇ receptors in the 5-HT excitatory effects on the rat urinary bladder.** *BJU Int* **94**: 1125-31, 2004.
17. Lluel P, Palea S, Ribière P, Barras M, Teillet L, Corman B. **Increased adrenergic contractility and decreased mRNA expression of NOS III in aging rat urinary bladders.** *Fund Clin Pharmacol* **17**: 633-41, 2003.
18. Barras M and Palea S. **Comparison of the relaxant effects of alfuzosin and sildenafil on the rabbit isolated corpus cavernosum.** *BJU Int* **91**: 873-7, 2003.



19. Lluel P, Deplanne V, Heudes D, Bruneval P, Palea S. **Age-related changes in urethro-vesical coordination in male rats: relationship with bladder instability?** *Am J Physiol Regul Integr Comp Physiol* **284**: R1287-95, 2003.
20. Lluel P, Barras M, Palea S. **Cholinergic and purinergic contribution to the micturition reflex in conscious rats with long-term bladder outlet obstruction.** *Neurourol Urodyn* **21**: 142-153, 2002.
21. Lluel P et al. **SSR240600, a selective neurokinin NK1 receptor antagonist, reduces micturition frequency in anesthetized female guinea-pigs and may be useful as a treatment of human OAB.** Aspet-Ray Fuller Symposium, Lower Urinary Tract Disorders, July 6-7, 2002.
22. Lluel P, Palea S, Barras M, Grandadam F, Heudes D, Bruneval P, Corman B, Martin DJ. **Functional and morphological modifications of the urinary bladder in aging female rats.** *Am J Physiol Regul Integr Comp Physiol* **278**: R964-72, 2000.
23. Palea S, Barras M, Deplanne V, Vallancien G. **Antagonist effects of alfuzosin on concentration-response curves to phenylephrine and noradrenaline in human prostatic adenoma.** *Neurourol Urodyn* **19**: 431-33, 2000.
24. Grandadam F, Lluel P, Palea S, Martin DJ. **Pharmacological and urodynamic changes in rat urinary bladder function after multiple pregnancies.** *BJU Int* **84**: 861-6, 1999.
25. Palea S, Pietra C. **Involvement of spinal NK₁ and opioids receptors in modulating the inhibitory effect of capsaicin on micturition reflex in the acute spinalized guinea pig.** *J Urol* **161**: 998-1005, 1999.
26. Barras M, Palea S, Martin, D. **Contractile activity of NS-49 in female rabbit lower urinary tract and mesenteric artery.** *Eur Urol* **36**: 113-117, 1999.
27. Lluel P, Rauch C, George P, Marabout B, Martin D. **Functional uroselectivity of SL 91.0893 a new alpha₁-adrenoceptor antagonist.** *Eur Urol* **36**: 113-117, 1999.
28. Lluel P, Duquenne C, Martin D. **Experimental bladder instability following bladder outlet obstruction in the female rat.** *J Urol* **160**: 2253-7, 1998.
29. Martin DJ, Lluel P, Pouyet T, Rauch-Desanti C, Angel I. **Relationship between the effects of alfuzosin on rat urethral and blood pressures and its tissue concentrations.** *Life Sci* **63**: 169-76, 1998.
30. Palea S, Toson G, Pietra C, Trist DG, Artibani W, Romano O, Corsi M. **Pharmacological characterization of thromboxane and prostanoid receptors in human isolated urinary bladder.** *Br J Pharmacol* **124**: 865-72, 1998.
31. Barras M, Palea S, Martin D, Angel I. **Potent contractile activity of NS-49 on female rabbit isolated urethra and trigone.** *NS Arch Pharmacol* **358**: R259, 1998.
32. Deplanne V, Palea S, Angel I. **The adrenergic, cholinergic and NANC nerve-mediated contractions of the female rabbit bladder neck and proximal, medial and distal urethra.** *Br J Pharmacol* **123**: 1517-24, 1998.
33. Palea S, Barras M, Martin D, Angel I. **sGuanylate Cyclase activation during field-stimulation-induced relaxation of rabbit corpus cavernosum.** *NS Arch Pharmacol* **358**: R259, 1998.
34. Barras M, Palea S, Martin D, Angel I. **Pharmacological studies on smooth muscle relaxation of rabbit isolated corpus cavernosum.** *NS Arch Pharmacol* **358**: R260, 1998.
35. Martin D, Barras M, Palea S. **Pharmacological characterization of 5-HT potentiating effects on electrically-induced contractions in dog, pig and rat detrusor muscle.** *Neurourol Urodyn*, **17**: 337-39, 1998



36. Martin DJ, Lluet P, Guillot E, Coste A, Jammes D, Angel I. **Comparative alpha-1 adrenoceptor subtype selectivity and functional uroselectivity of alpha-1 adrenoceptor antagonists.** *J Pharmacol Exp Ther* **282**: 228-35, 1997.
37. Palea S, Angel I. **The effect of ovariectomy on the contractile response of the rat isolated detrusor muscle and urethra.** *Life Sci* **61**: PL21-6, 1997.
38. Palea S, Corsi M, Artibani W, Ostardo E, Pietra C. **Pharmacological characterization of tachykinin NK₂ receptors on isolated human urinary bladder, prostatic urethra and prostate.** *J Pharmacol Exp Ther* **277**: 700-5, 1996.
39. Palea S, Corsi M, Rimland JM, Trist DG, Ratti E. **Failure of the putative neuropeptide Y antagonists, benextramine and PYX-2, to inhibit Y2 receptors in rat isolated prostatic vas deferens.** *Br J Pharmacol* **116**: 2401-6, 1995.
40. Palea S, Corsi M, Rimland JM, Trist DG. **Discrimination by benextramine between the NPY-Y1 receptor subtypes present in rabbit isolated vas deferens and saphenous vein.** *Br J Pharmacol* **115**: 3-10, 1995.
41. Palea S, Pietra C, Trist DG, Artibani W, Calpista A, Corsi M. **Evidence for the presence of both pre- and postjunctional P2-purinoceptor subtypes in human isolated urinary bladder.** *Br J Pharmacol* **114**: 35-40, 1995.
42. Corsi M, Palea S, Pietra C, Oliosi B, Gaviraghi G, Sugg E, Van Amsterdam FT, Trist DG. **A further analysis of the contraction induced by activation of cholecystinin A receptors in guinea pig isolated ileum longitudinal muscle-myenteric plexus.** *J Pharmacol Exp Ther* **270**: 734-40, 1994.
43. Palea S, Corsi M, Pietra C, Artibani W, Calpista A, Gaviraghi G, Trist DG. **ADP beta S induces contraction of the human isolated urinary bladder through a purinoceptor subtype different from P2X and P2Y.** *J Pharmacol Exp Ther* **269**: 193-7, 1994.
44. Palea S, Artibani W, Ostardo E, Trist DG, Pietra C. **Evidence for purinergic neurotransmission in human urinary bladder affected by interstitial cystitis.** *J Urol* **150**: 2007-12, 1993.
45. Palea S, Dalforno G, Gaviraghi G, Hagan RM, Trist DG, Pietra C. **Further studies on the effects of selective neurokinin agonists upon the activation of micturition reflex in rats. Evidence for a dual NK₁ receptor mediated excitatory and inhibitory activity.** *Neuropeptides* **24**: 285-91, 1993.

